

Simulation of Grover's algorithm on parallel computers with shared memory and using the Olib library

Łukasz Świerczewski

12-2012

Simulation of
Grover's algorithm
on parallel
computers with
shared memory
and using the Olib
library

Łukasz
Świerczewski

Outline

Introduction

More on Olib

Grover's algorithm

Results

- 1 Introduction
- 2 More on Olib
- 3 Grover's algorithm
- 4 Results

Simulation of
Grover's algorithm
on parallel
computers with
shared memory
and using the Olib
library

Łukasz
Świerczewski

Outline

Introduction

More on Olib

Grover's algorithm

Results

The study presents the aspect of the quantum simulation of the Grover's algorithm using contemporary parallel processors with shared memory. Linux operating system, C programming language and Olib library, created by the author for wider set of numerical calculations, were used as a programming environment.

Simulation of
Grover's algorithm
on parallel
computers with
shared memory
and using the Olib
library

Łukasz
Świerczewski

Outline

Introduction

More on Olib

Grover's algorithm

Results

Olib (www.goldbach.pl/olib) is written primarily for Linux OS. In other systems (eg. Windows, BSD, Solaris) minor compatibility issues with the code may occur. Library implements efficient methods, which can be divided into following groups:

- 1 Linear algebra
- 2 Discrete Mathematics
- 3 Cryptography
- 4 Numerical methods
- 5 Artificial intelligence

Simulation of
Grover's algorithm
on parallel
computers with
shared memory
and using the Olib
library

Łukasz
Świerczewski

Outline

Introduction

More on Olib

Grover's algorithm

Results

Grover's algorithm is a quantum algorithm for searching an unsorted database with N entries in $O(\sqrt{N})$ time and using $O(\log N)$ storage space (see big O notation). It was discovered by Lov Grover in 1996.

Complexity class: BQP (bounded error quantum polynomial time).

The best classical algorithm: $O(N)$.

Simulation of
Grover's algorithm
on parallel
computers with
shared memory
and using the Olib
library

Łukasz
Świerczewski

Outline


Introduction

More on Olib

Grover's algorithm

Results

A sample flow of data streams in the program using Olib.



Simulation of
Grover's algorithm
on parallel
computers with
shared memory
and using the Olib
library

Łukasz
Świerczewski

[Outline](#)


[Introduction](#)

[More on Olib](#)

[Grover's algorithm](#)

[Results](#)

Increase of processing time of sequential algorithm on the Intel Xeon E7-4860 processor during the simulation of the quantum computer with different size of quantum register.



Simulation of Grover's algorithm on parallel computers with shared memory and using the Olib library

Łukasz Świerczewski

Outline


Introduction

More on Olib

Grover's algorithm

Results

Decrease of time of register simulation which consists of 13 qubits when different threads on the processor Intel Core i5-2400 and single channel memory and dual-channel memory DDR3 are used.



Simulation of Grover's algorithm on parallel computers with shared memory and using the Olib library

Łukasz Świerczewski

[Outline](#)


[Introduction](#)

[More on Olib](#)

[Grover's algorithm](#)

[Results](#)

Decrease of time of register simulation consisting of 16 qubits during using different quantity of threads on the platform which consists of four Intel Xeon E7-4860 processors.



Simulation of Grover's algorithm on parallel computers with shared memory and using the Olib library

Łukasz Świerczewski

[Outline](#)


[Introduction](#)

[More on Olib](#)

[Grover's algorithm](#)

[Results](#)

Decrease of time of register simulation which consists of 14 qubits when used different threads on the processor Intel Core i7 920.



Simulation of Grover's algorithm on parallel computers with shared memory and using the Olib library

Łukasz Świerczewski

[Outline](#)


[Introduction](#)

[More on Olib](#)

[Grover's algorithm](#)

[Results](#)

Comparison of Olib library performance with parallel processing and the NumPy (test for 14 qubits and processor Intel Core i7 920).



Simulation of
Grover's algorithm
on parallel
computers with
shared memory
and using the Olib
library

Łukasz
Świerczewski

Outline



Introduction

More on Olib

Grover's algorithm

Results

Intel Core i7 920 + nVidia Tesla C2050 [The division of time]



Time [in seconds]

■ CPU Execution ■ GPU Execution ■ Data transfer

Simulation of
Grover's algorithm
on parallel
computers with
shared memory
and using the Olib
library

Łukasz
Świerczewski

[Outline](#)


[Introduction](#)

[More on Olib](#)

[Grover's algorithm](#)

[Results](#)

Intel Xeon E5520 + nVidia Tesla C1070 [The division of time]



Simulation of
Grover's algorithm
on parallel
computers with
shared memory
and using the Olib
library

Łukasz
Świerczewski

[Outline](#)

[Introduction](#)

[More on Olib](#)

[Grover's algorithm](#)

[Results](#)

Thank you for your attention!

Simulation of
Grover's algorithm
on parallel
computers with
shared memory
and using the Olib
library

Łukasz
Świerczewski

Outline

Introduction

More on Olib

Grover's algorithm

Results